PAGE 1/7



13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

Lab # 70544787	Repor	t of Analys	is	Report Num	ber: 24-316-4125		
Account:	SCOTT KING				22		
38118	ERTH PRODUCT	S		14	2		
	PO BOX 2892			Cold	755		
	PEACHTREE GA	30269		Rob	ert Ferris		
				Accou	nt Manager		
Date Sampled:	2024-10-22			402-	829-9871		
Date Received:	2024-10-28			ERTH Food			
Sample ID:	ERTH Food						
	•				Total content,		
			Analysis	Analysis	lbs per ton		
			(as rec'd)	(dry weight)	(as rec'd)		
NUTRIENTS							
Nitrogen							
Total Nitroge	en	%	1.57	3.37	31.4		
Organic Nitro	ogen	%	1.49	3.19	29.8		
Ammonium	Nitrogen	%	0.011	0.024	0.2		
Nitrate Nitro	gen	%	0.07	0.15	1.4		
Major and Seco	ndary Nutrients						
Phosphorus		%	1.37	2.94	27.4		
Phosphorus as P2O5		%	3.14	6.74	62.8		
Potassium			0.49	1.05	9.8		
Potassium a	Potassium as K2O		0.59	1.27	11.8		
Sulfur		%	0.32	0.69	6.4		
Calcium		%	0.73	1.57	14.6		
Magnesium		%	0.27	0.58	5.4		
Sodium		%	0.050	0.107	1.0		
Micronutrients							
Iron		ppm	7500	16088	15.0		
Manganese		ppm	305	654	0.6		
Boron		ppm	< 100				
OTHER PROPERTIES	OTHER PROPERTIES						
Moisture		%	53.38				
Total Solids		%	46.62		932.4		
Organic I	Vatter	%	30.20	64.78	604.0		
Ash		%	16.10	34.53	322.0		
Total Carbor	ı	%	14.76	31.66			
Chloride		%	0.02	0.04			
рН			6.0				
Conductivity	1:5 (Soluble Salts)	mS/cm	4.89				



PAGE 2/7

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

Lab #	70544787			hysical Pro	perties	Report Num	ber: 24-316-4125
	Account:	SCOTT					
	38118	ERTH P	RODUCTS			1/11	Fes
		PO BOX	2892			1000	1
		PEACH	FREE GA 3	0269		Rot	pert Ferris
						Client Servi	ce Representative
Da	ate Sampled:	2024-10	-22			402	-829-9871
Da	te Received:	2024-10	-28			ERTH Food	
	Sample ID:	ERTH F	ood				
			Analysis	Analysis			
			(as rec'd)	(dry weight)	Units	Detection Limit	Method
Biolog	ical Properties						
	Germination		100		%	1	TMECC 05.05A
	Germination Vigo	r	90		%	1	TMECC 05.05A
	CO ₂ OM Evolution	า	0.21		mgCO ₂ -C/gO	M/day 0.01	TMECC 05.08B
	CO ₂ Solids Evolut	tion	0.36		mgCO ₂ -C/gTS	S/day 0.01	TMECC 05.08B
	Fecal Coliform			< 0.2	mpn/g	0.2	EPA 1681
	Salmonella			< 1.2	mpn/4g	1.2	TMECC 07.02
	Stability Rating		Stable		N/A	N/A	TMECC 05.08B
Physic	al Properties		775			4	
	Bulk Density (Loo	,	775		lbs/cu yard	1	WT/VOL
	Bulk Density (Pac	кеа)	1129		lbs/cu yard	1	WT/VOL
	Film Plastics		n.d.		%	0.1	TMECC 03.08
	Glass Fragments		n.d.		%	0.1	TMECC 03.08
	Hard Plastics		n.d.		%	0.1	TMECC 03.08
	Metal Fragment		n.d.		%	0.1	TMECC 03.08
	Sharps		absent	4.5		0.1	TMECC 03.08
	Max. Particle Len	•		1.5	inches	N/A	TMECC Sieve
	Sieve % Passing			100	%	0.01	TMECC Sieve
	Sieve % Passing			100	%	0.01	TMECC Sieve
	Sieve % Passing			100	%	0.01	TMECC Sieve
	Sieve % Passing			100	%	0.01	TMECC Sieve
	Sieve % Passing			100	%	0.01	TMECC Sieve
	Sieve % Passing			100	%	0.01	TMECC Sieve
	Sieve % Passing			97	%	0.01	TMECC Sieve
	Sieve % Passing	1/4"		83	%	0.01	TMECC Sieve

Our reports and letters are for the exclusive and confidential use of our clients and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

Compost Results Interpretations	Report #:	24-316-4125
Page 1	DATE RECEIVED:	2024-10-28
Organic Matter %		
30.20 As Received	Greater than 20% indicates a desirable range for compo	st on a dry weight basis
64.78 Dry Weight		
Compost is a signif	icant course of Organia Matter, which is an important cumplic	r of oorbon Organia M
Compost is a signif	icant source of Organic Matter, which is an important supplie	r or carbon. Organic Ma

Compost is a significant source of Organic Matter, which is an important supplier of carbon. Organic Matter improves soil and plant efficiency by improving soil physical properties, providing a source of energy to beneficial organisms, and enhancing the reservoir of soil nutrients.

C/N	Ratio	
	9.4:1	

20-30 indicates an ideal range for the initial compost process. 10-20 indicates an ideal range for a finished compost.

All organic matter is made up of substantial amounts of carbon with lesser amounts of nitrogen. The balance of these two elements is called the Carbon/Nitrogen Ratio. For the best performance, the compost pile requires the correct proportion of carbon for energy and nitrogen for protein production. If the C:N ratio is too high (excess carbon) decomposition slows down. If the C:N ratio is too low (excess Nitrogen) the compost pile could be difficult to manage.

Moistu	ure % 53.38	<35% = Indicates overly dry compost
		>55% = Indicates overly wet compost
	present affects handling and	sure of water present in the compost and expressed as a percentage of total weight. Moisture I transport. Overly dry will be light and dusty while overly wet will be heavy and clumpy. A of finished compost will range between 40 to 50%.

PAGE 4/7

Compost Results Interpretations	Report #:	24-316-4125
Page 2	DATE RECEIVED:	2024-10-28

Conductivity or Soluble Salts measures the conductance of electrical current in a liquid compost slurry. Excessive soluble salt content in a compost can prevent or delay seed germination and proper root growth. Conductivity analysis is done on a 1:5 basis.

Conductivity 1:5	
4.9	
Conductivity Le	vel Interpretation
Greater than 1	0 Very High nutrient content. Use for Ag Applications
5 - 10	High nutrient content. Use for Ag Applications
3 - 5	Higher than desirable for salt sensitive plants, some loss of vigor
0.6 - 3	Desirable range for most plants
0.3 - 0.6	Ideal range for greenhouse growth media
0.0 - 0.3	Very Low: Indicates very low nutrient status: plants may show deficiencies.

PAGE 5/7

Compost Results Interpretations Page 3	Report #: 24-316-4125 DATE RECEIVED: 2024-10-28					
pH Value						
5.0 0 to 14 scale with 6 to 8 as r	normal pH levels for compost					
A pH in the 6 to 8 pH	A pH in the 6 to 8 pH range indicates a more mature compost					
pH measures the acidity or alkalinity of the compost, and is a measurement of	the hydrogen ion activity of a soil or compost on a					
logarithmic scale. The pH scale ranges from 0 to 14 and 7 indicates a neutral pH. Growing media with a higher pH or pH						
greater than 7 can benefit from a compost that has a more acidic	c pH or pH below 7. This type of application will possibly					
lower the soil pH making the soil more conducive to plants that the	hrive in a more acidic soil condition.					

Nutrient Index	,			The Nutrie	nt Index nor	mally runs	between 1 a	and 10.			
The Nutrient Index is obtained by dividing the total nutrients (N,P,K) by the amount of salt (Sodium and Chloride). The higher the Nutrient Index the less chance of having a toxic buildup of Sodium (salt) in the soil.											
	AG INDEX CHART										
	salt injury possible			t drainage cha lity and low sa		you may use on soils with poor drainage, poor water quality, or high salts a					for all soils
possible 1 2 3 4 5 6 7 8 9 10 > 10											

Nutrients (N+	-P205+K20)	
11.37 1.5-3-0.5	Average Nutrient Content Dry Weight Rating As Received	<2 = Low, >5 = High
1.0 0 0.0	The most commonly used compost and the information is similar to that found in a	data is the amount of Nitrogen, Phosphate, and Potash (abbreviated as N,P,K) present common fertilizers. If a compost result has the rating 1-2-2 it means that the compost has Most compost tests will have a average nutrient level (N+P+K) of < 5%.



ERTH PRODUCTS SCOTT KING PO BOX 2892 PEACHTREE GA 30269





REPORT OF ANALYSIS For: (38118) ERTH PRODUCTS ERTH Food

	Leve	Level Found	đ		Reporting		Analyst-	Verified-
Analysis	As Received Dry Weight	ed Dry		Units	Limit	Method	Date	Date
Sample ID: ERTH Food	Lab Number: 70544787	Date \$	Sampled:	Date Sampled: 2024-10-22 1100	2 1100			
Cadmium (total)	n.d.	d.	n.d.	mg/kg	0.50	EPA 6010	erw9-2024/11/01 kkh9-2024/11/06	kkh9-2024/11/06
Chromium (total)	9.23	ü	19.8	mg/kg	1.00	EPA 6010	erw9-2024/11/01 kkh9-2024/11/06	kkh9-2024/11/06
Mercury (total)	0.07	7(0.15	mg/kg	0.05	EPA 7471	Mab7-2024/11/05 kkh9-2024/11/06	kkh9-2024/11/06
Lead (total)	n.o	ġ.	8.8	mg/kg	5.0	EPA 6010	erw9-2024/11/01 kkh9-2024/11/06	kkh9-2024/11/06
Molybdenum (total)	1.6	റ	3.4	mg/kg	1.0	EPA 6010	erw9-2024/11/01 kkh9-2024/11/06	kkh9-2024/11/06
Nickel (total)	6.2	N	13.3	mg/kg	1.0	EPA 6010	erw9-2024/11/01 kkh9-2024/11/06	kkh9-2024/11/06
Selenium (total)	n.d.	ġ.	n.d.	mg/kg	10.0	EPA 6010	erw9-2024/11/01 kkh9-2024/11/06	kkh9-2024/11/06
Zinc (total)	163.7		351.2	mg/kg	2.0	EPA 6010	erw9-2024/11/01	kkh9-2024/11/06
Copper (total)	59.2		127	mg/kg	<u>د</u>	EPA 6010	erw9-2024/11/01 kkh9-2024/11/06	kkh9-2024/11/06
Arsenic (total)	1.25	ហ	2.69	mg/kg	0.5	EPA 6020	nto7-2024/11/04	kkh9-2024/11/06
Cobalt (total)	1.23	ü	2.64	mg/kg	1.00	EPA 6010	erw9-2024/11/01 kkh9-2024/11/06	kkh9-2024/11/06

	EPA 1681 holding time of < 24 hours from sampling to laboratory set up c exceeded. Individual states enforce different holding times for compost o your state for their requirements. n.d. = not detected , ppm = parts per million, ppm = mg/kg, ppm = mg/L	Analysis	ERTH PRODUCTS SCOTT KING PO BOX 2892 PEACHTREE GA 30269	REPORT NUMBER 24-316-4125 REPORT DATE Nov 11, 2024 RECEIVED DATE Oct 28, 2024
For questions please contact:	EPA 1681 holding time of < 24 hours from sampling to laboratory set up of samples for biosolids and compost has been exceeded. Individual states enforce different holding times for compost or biosolids so please contact the regulatory body in your state for their requirements. n.d. = not detected , ppm = parts per million, ppm = mg/kg, ppm = mg/L	Level Found Reporting As Received Dry Weight Units Limit Method	REPORT OF ANALYSIS For: (38118) ERTH PRODUCTS ERTH Food	Image: Nebraska 68144-3693 • (402) 334-7770 www.midwestlabs.com
	has been Ilatory body in	Analyst- Date I		PAC
		Verified- Date		PAGE 7/7 Issue DATE Nov 12, 2024

Rob Ferris Account Manager rferris@midwestlabs.com (402)829-9871